#### Motor Test Report



#### Model: MM3318FC/NV Description: MaxMotion 0.33HP, 1750RPM, 180VDC, TEFC/NV, 56C


Tester: 01 Test Date: 2018.02.23

V	Α	W In	RPM	W out	Eff.%							
300	5	700	3000	500	100				 r   			
270	4.5	630	2700	450	90				 	 		+
240	4	560	2400	400	80				 	 		W In
210	3.5	490	2100	350	70				 	 		Amps
180	3	420	1800	300	60				 	 /		Volts RPM
150	2.5	350	1500	250	50				 	 		+
120	2	280	1200	200	40	ļ,	Eff	+	 /	 	WO	ut
			1									
90	1.5	210	900	150	30				/	 		
90 60	1.5 1			150 100	30 20	/-				 		
		210	900			/			/	 		
60	1	210 140	900 600	100	20			/			 	

Torque N.m.

Measured Points	V	А	Input Watts	N.m.	RPM	Output Watts	%
No Load	180.6	0.375	67.90	0.076	1966	15.654	23.0%
Rated	180.5	1.980	357.5	1.414	1687	250	69.9%
Efficiency Max.	180.5	1.980	357.5	1.414	1687	250	69.9%
Max. Kw Output	180.4	2.744	495.2	2.046	1573	337	68.0%
Max. Torq. Output	180.4	2.744	495.2	2.046	1573	337	68.0%
End	180.4	2.744	495.2	2.046	1573	337	68.0%

Load	Measure	V	А	Input Watts	N.m.	RPM	Output Watts	Eff %
6.3%	1	180.6	0.375	67.90	0.076	1966	15.64	23.0%
7.8%	2	180.6	0.401	72.50	0.094	1963	19.48	26.8%
11.1%	3	180.6	0.449	81.28	0.136	1954	27.82	34.2%
15.0%	4	180.6	0.51	92.13	0.184	1943	37.59	40.8%
19.9%	5	180.6	0.585	105.6	0.246	1930	49.70	47.0%
25.3%	6	180.6	0.672	121.4	0.315	1914	63.24	52.0%
32.0%	7	180.5	0.774	139.9	0.403	1896	80.03	57.1%
38.9%	8	180.5	0.886	160.0	0.494	1877	97.23	60.7%
46.8%	9	180.5	1.015	183.3	0.602	1854	117.0	63.8%
55.4%	10	180.5	1.16	209.6	0.723	1829	138.5	66.1%
65.0%	11	180.5	1.328	239.8	0.862	1801	162.5	67.7%
74.9%	12	180.5	1.506	272.0	1.011	1769	187.3	68.8%
86.0%	13	180.5	1.708	308.3	1.182	1736	214.9	69.7%
97.2%	14	180.5	1.926	347.7	1.365	1700	242.9	69.8%
100.0%	15	180.5	1.98	357.5	1.414	1687	250.0	69.9%
100.0%	16	180.5	1.98	357.5	1.414	1687	250.0	69.9%
110.8%	17	180.4	2.199	397.0	1.599	1654	277.0	69.7%
123.1%	18	180.4	2.464	444.7	1.823	1612	307.7	69.1%
134.8%	19	180.4	2.744	495.2	2.046	1573	337.0	68.0%



## DC PERMANENT MAGNET MOTOR

HEAVY GAUGE ROLLED STEEL CONSTRUCTION | TENV TOTALLY NON-VENTILATED & TEFC TOTALLY ENCLOSED FAN COOLED SCR RATED, 90VDC, 180VDC

### **Applications:**

For use with SCR rated single phase DC variable speed controls used in conveyors, pumps, packaging equipment and many other applications where economical precise speed control is required.

### Features:

Design - SCR Rated

Construction - Rolled Steel, NEMA C-Face Footed with Removable Base

Agency listings and standard - NEMA, UL Recognized and CSA Certified, RoHS Compliant

Service Factor - 1.0

IP Rating - IP45

Insulation - Class F Insulation

Speed Range - 20:1 Constant Torque, Linear Speed/Torque Characteristics over entire speed range

Voltage - 90V & 180V

Bearings - Permanently Lubricated High quality Double Shielded Ball Bearings

Brushes - Oversized for Extra Long Life, Easy brush access with Unique brush Holder

Enclosure Protection - (TEFC) Totally Enclosed Fan Cooled & (TENV) Totally Enclosed Non-Ventilated

Duty - Continuous

Warranty - 18 Months







# DC PERMANENT MAGNET MOTOR





VENTILATED & TEFC TOTALLY ENCLOSED FAN COOLED SCR RATED, 90VDC, 180VDC

НР	FL RPM	VOLTS	FRAME	CAT NO.	CONSTRUCTION	ENCLOSURE	NOM EFF.	F.L. AMPS	DE BEARING	NDE BEARING	WT (Lbs)	"C" Dimension (Inch)
	1773	90	56C	MM2590NV	ROLLED STEEL	TENV	76.70%	2.05	6203	6203	21	8
0.25	1773	90	56C	MM2590FC	ROLLED STEEL	TEFC	76.70%	2.05	6203	6203	21	9.6
0.25	1717	180	56C	MM2518NV	ROLLED STEEL	TENV	71.90%	2.55	6203	6203	21	8
	1717	180	56C	MM2518FC	ROLLED STEEL	TEFC	71.90%	2.55	6203	6203	21	9.6
	1691	90	56C	MM3390NV	ROLLED STEEL	TENV	77.70%	5.1	6203	6203	23	8
0.33	1691	90	56C	MM3390FC	ROLLED STEEL	TEFC	77.70%	5.1	6203	6203	23	9.6
0.55	1687	180	56C	MM3318NV	ROLLED STEEL	TENV	69.90%	2.55	6203	6203	23	8
	1687	180	56C	MM3318FC	ROLLED STEEL	TEFC	69.90%	2.55	6203	6203	23	9.6
	1702	90	56C	MM5090NV	ROLLED STEEL	TENV	81.90%	6.28	6203	6203	25	8.88
0.5	1702	90	56C	MM5090FC	ROLLED STEEL	TEFC	81.90%	6.28	6203	6203	25	10.4
0.5	1752	180	56C	MM5018NV	ROLLED STEEL	TENV	81.40%	3.14	6203	6203	25	8.88
	1752	180	56C	MM5018FC	ROLLED STEEL	TEFC	81.40%	3.14	6203	6203	25	10.4
0.75	1651	90	56C	MM7590FC	ROLLED STEEL	TEFC	83.90%	9.82	6203	6203	30	11.45
0.75	1675	180	56C	MM7518FC	ROLLED STEEL	TEFC	84.00%	4.9	6203	6203	30	11.45
1	1739	90	56C	MM1090FC	ROLLED STEEL	TEFC	84.00%	12.7	6203	6203	33	12.24
-	1739	180	56C	MM1018FC	ROLLED STEEL	TEFC	84.70%	6.4	6203	6203	33	12.24
1.5	1793	180	56C	MM1518FC-56C	ROLLED STEEL	TEFC	83.30%	7.86	6203	6203	45	14.39
1.5	1793	180	145TC	MM1518FC	ROLLED STEEL	TEFC	83.30%	7.86	6305	6305	45	13.8
2	1751	180	56C	MM2018FC-56C	ROLLED STEEL	TEFC	82.80%	10.4	6305	6305	55	14.75
~2	1751	180	145TC	MM2018FC	ROLLED STEEL	TEFC	82.80%	10.77	6305	6305	55	14.8
3	1814	180	145TC	MM3018FC	ROLLED STEEL	TEFC	82.50%	18.6	6305	6305	70	16.9

